

## DÉPLIANT SUR LA CÉSARIENNE – ASPQ - LISTE DE RÉFÉRENCES – mardi, 17 novembre 2009

**Vous trouverez des références pour les sections suivantes du dépliant :**

### **La césarienne**

- Société des obstétriciens et gynécologues du Canada. 2008. Déclaration de principe commune sur l'accouchement normal, JOGC no 221, p. 1167, # 2 et 4.

### **Pourquoi fait-on une césarienne ?**

- Statistiques : Ministère de la Santé et des Services sociaux.

### **Y a-t-il des risques associés à une césarienne ?**

Pour la mère :

- DiGirolamo, A.M., Grummer-Strawn, L.M., Fein, S.B., 2008, Effect of Maternity-Care Practices on Breastfeeding, *Pediatrics*, 122 : S43-S49, DOI :10.1542/peds.2008-1315e.
- Kroeger, M., Smith, L., 2004. *Impact of Birthing Practices on breastfeeding – Protecting the Mother and Baby Continuum*, Johns and Bartlett.
- Riordan, J., Gross, A., Anjeron, J., et al. 2000. The effect of labor pain relief medication on neonatal suckling and breastfeeding duration, *Journal of Human Lactation*, 16(1) :7-12.
- Ransjö-Ardvion, A.B., Matthiesen, A.S., Lilja, G., et al, 2001. Maternal analgesia during labor disturbs newborn behaviour : effects on breastfeeding, temperature and crying, *Birth*, 28(1):5-12.
- Macones, G.A., Peipert, J., Nelson, D.B., et al, 2005, Maternal complications with vaginal birth after cesarean delivery : a multicenter study, *Am. J. Obstet. Gynecol.* 193(5) :1656-1662.
- Phipps, M., Watabe, B., Clemons, J.L., et al, 2005, Risk factors for bladder injury during cesarean delivery, *Obstet Gynecol* 105(1) : 156-160.
- Liu, S., Liston, R. M., Joseph, K. S., et al., 2007, Maternal mortality and severe morbidity associated with low-risk planned caesarean delivery versus planned vaginal delivery at term, *Canadian Medical Association Journal*, 176(4) : 455-476.
- Villar, J., Valladeres. E., Wojdyla, D., et al., 2006. Caesarean delivery rates and pregnancy outcomes : the 2005 WHO global survey on maternal and perinatal health in Latin America, *The Lancet* 367(9525):1819-1829 .
- Wen, S.W., Rusen, I.D., Walker, M., et al. 2004. Comparison of maternal mortality and morbidity between trial of labor and elective caesarean section among women with previous caesarean delivery, *Am. J. Obstet. Gynecol.* 191(4):1263-1269
- Lin S.Y., Hu, C.J., Lin, H.C., 2008. Increased risk of stroke in patients who undergo cesarean section delivery : a nationwide population-based study. *Am. J. Obstet. Gynecol.* 198(4) :391.e1-7. Epub Feb 14.
- Agence de la santé publique du Canada, 2004, *Rapport spécial sur la mortalité maternelle et la morbidité maternelle grave au Canada – Surveillance accrue : voie de la prévention*, Ottawa.
- Office of the Chief Coroner, 2006, *Second Annual Report – Maternal and Perinatal Death Review Committee*, Toronto, Ontario.
- Declercq E., Cunningham, D.K., Johnson, C., et al, 2008, Mothers' Reports of Postpartum Pain Associated with Vaginal and Cesarean Deliveries : Results of a National Survey, *Birth*, 35(1):16-24.
- Loos M.J., Sheltinga M.R., Mulders L.G., et al. 2008. The Pfannenstiel Incision as a Source of Chronic Pain, *Obstetrics & Gynecology*, 111(4):839-846.

- Morales, K. J., Gordon, M. C., Bates, G. W. Jr., 2007, Postcesarean delivery adhesions associated with delayed delivery of infant. *Am J Obstet Gynecol*, 196(5):461-466.
- Loos, M.J., Scheltinga, M.R., Mulders, L.G., 2008, The Pfannestiel Incision as a Source of Chronic Pain, *Obstetrics & Gynecology*, 111(4):839-847.
- Mollison, J., Porter, M., Campbell, D., et al, 2005, Primary mode of delivery and subsequent pregnancy, *BJOG* 112(8) :1061-1065.
- Smith, G.C., Wood, A.M., Pell, J.P., et al, 2006, First cesarean birth and subsequent fertility, *Fertil Steril*, 85(1) :90-95.
- Bhattacharya, S., Porter, M., Harrild, K., et al, 2006, Absence of conception after caesarean section : voluntary or involuntary ? *BJOG*, 113(3) :268-275.

#### Pour le bébé :

- Levine, E.M., Ghai, V., Barton, J.J., et al., 2001, Mode of Delivery and Risk of Respiratory Diseases in Newborns», *Obstetrics and Gynecology*, 97(3) : 439-442.
- Sulyok, L., & Csaba, L.F., 1986, Elective repeat cesarean delivery and persistent pulmonary hypertension of the newborn, *Am. J. Obstet Gynecol*, 155:687-688.
- Smith, J.F., Hernandez, C., Wax, J.R., 1997. Fetal laceration injury at caesarean delivery, *Am. J. Obstet. Gynecol.* 90(3):344-346.
- Hansen, A.K., Wisborg, K., Ulbjerg, N., et al., 2007, Risk of respiratory morbidity in term infants delivered by elective caesarean section : cohort study, *British Medical Journal*, 11 décembre 2007, <http://www.bmj.com/cgi/content/full/bmj.39405.539282.BEvl>
- Richardson, B.S., Czikk, M.J., daSylva, O., et al., 2005, The impact of labor at term on measures of neonatal outcomes, *Am. J. Obst. Gynecol.* 192(1) :219-226.
- Villar, J., Valladeres. E., Wojdyla, D., et al., 2006. Caesarean delivery rates and pregnancy outcomes : the 2005 WHO global survey on maternal and perinatal health in Latin America, *The Lancet* 367(9525):1819-1829.
- MacDorman, M.F., Declercq, E., Menacker, F., et al., 2008, Neonatal Mortality for Primary Cesarean and Vaginal Births to Low-Risk Women : Application of an “Intention-to-Treat” Model, *Birth* 35 (1) : 3-8.
- Kapla, M., Caesarian sections may increase asthma risk. *Nature* (on-line, 29 oct. 2007).
- Sullivan MG, 2003. Asthma associated with planned cesarean - Large Retrospective Study. *Ob/Gyn News*, 15 mai 2003.
- Tollanes, M., Moster, P., Dalveit, L., et al, 2008. Cesarean Section and Risk of Severe Childhood Asthma : A Population-Based Cohort Study, *Journal of Pediatrics*, 153(1):112-116.e1.

#### Lors de futures grossesses :

- Pare, E., Quinones, J. N., Macones, G. A., 2006, Vaginal birth after caesarean section versus elective repeat caesarean section : assessment of maternal downstream health outcomes, *BJOG : An International Journal of Obstetrics and Gynaecology*, 113(1) : 75-85.
- Cohain, J. S., 2006, Vaginal birth after caesarean section : Seeing the bigger picture, *British Journal of Midwifery*, 14(7) : 424-426.
- Mollison, J., Porter, M., Campbell, D., et al, 2005, Primary mode of delivery and subsequent pregnancy, *BJOG* 112(8) :1061-1065.
- Ananth, C.V., Smulian, J.C., Vintzileos, A.M., 1997, The association of placenta previa with history of cesarean delivery and abortion: a metaanalysis, *Am J Obstet Gynecol*, 177(5) : 1071-1078.

- Grobman, W.A., Gersnoviez, R., Landon, M.B., 2007, Pregnancy Outcomes for Women With Placenta Previa in Relation to the Number of Prior Cesarean Deliveries, *Obstetrics & Gynecology*, 110(6) : 1249-1255.
- Laughon, S.K., Wolfe, H.M., Visco A.G., et al, 2005, Prior cesarean and the risk of placenta previa on second trimester ultrasonography, *Obstet Gynecol*, 105(5) :962-965.
- Getahun, D., Oyelese, Y., Salihu et al, 2006, Previous cesarean delivery and risks of placenta previa and placental abruption, *Obstet Gynecol* 107(4) : 771-778.
- Chauhan, S.P., Martin, J.N., Henrichs, C.E., et al. 2003. Maternal and perinatal complications with uterine rupture in 142 075 patients who attempted vaginal birth after cesarean delivery : A review of the literature. *Am. J. Obstet. Gynecol.*, 189(2): 408-417.
- Smith, G.C.S., Pell, J.P., Dobbie, R., 2003, Cesarean section and risks of unexplained stillbirth in subsequent pregnancy, *The Lancet*, 362(29):1779-1784.
- Childbirth Connection, *What Every Woman Needs to Know About Cesarean Section*, 2006, [www.childbirthconnection.org](http://www.childbirthconnection.org)

### Quels peuvent être les effets d'une césarienne ?

- Gray, J.A., 2005, Implications of perceived control for recovery from childbirth for unplanned caesarean, planned caesarean and vaginal deliveries. *J. Prenatal Perinat Psychol Health*, 19(3): 251-267.
- Cohen, J.R., 2005, Patient satisfaction with prenatal care provider and the risk of cesarean delivery, *Am. J. Obstet. Gynecol*, 192(6):2029-2034.
- Churchill, H., 1997, *Caesarean birth : experience, practice and history*. Hale: Books for Midwives Press; Childbirth Connection, 2006.
- Declercq, E.R., Sakala, C., Corry, M.P., et al. 2006. *Listening to Mothers II : Report of the Second National U.S. Survey on Women's Childbearing Experiences*, New York, Childbirth Connection.
- Vadeboncoeur, H. 2008. *Une autre césarienne ou un accouchement naturel ? S'informer pour mieux décider*, Carte blanche.
- Hillan, E., 1992, Research and audit : women's views of caesarean section. In Roberts H., ed., *Women's Health Matters*, London : Routledge : 157-175.
- Barnes, J., Ram, B., Leech, P. et al, 2007, Factors associated with negative emotional expression : a study of mothers of young infants, *J. Reprod. Infant. Psychol.* 25(2): 122-138.
- DiMatteo, M.R., Morton, S.C., Lepper, H.S., et al. 1996, Cesarean childbirth and psychosocial outcomes : a meta-analysis, *Health Psychology*, 15(4) :303-314.
- Mutryn, C.S., 1993, Psychosocial Impact of Cesarean Section on the Family : A Literature Review, *Social Science and Medicine* 37(10) : 1271-1281.
- Lamaze International, *Introduction to the Healthy Birth Practices*, Healthy Birth Practice # 6 : Keeping Mother and Baby Together – It's Best for Mothers, Babies and Breastfeeding - <http://www.lamaze.org/Default.aspx?tabid=251>

### Peut-on prévenir une césarienne ?

- Chaillet N, Dumont A., 2007, Evidence-Based Strategie for Reducing Cesarean Section Rates : A Meta-Analysis, *Birth*, 34(1) : 53-64.
- Hodnett, E.D., Gates, S., Hofmeyr, G.J., Sakala, C., 2007. Continuous support for women during childbirth, *Cochrane Database of Systematic Reviews*, Issue 3, Art No : CD003766.DOI:10.1002/14651858.CD003766.pub2.

- Simkin, P., 2007. Birth Plans : After 25 Years, Women Still Want to Be Heard, *Birth* 34(1) : 49-51.
- Lamaze International, *Introduction to the Healthy Birth Practices*, <http://www.lamaze.org/Default.aspx?tabid=251>
- Simkin, P., Comfort in Labor : How You Can Help Yourself to a Normal Satisfying Childbirth, Childbirth Connection, [www.childbirthconnection.org](http://www.childbirthconnection.org)
- The Coalition for Improving Maternity Services, 2007, Evidence Basis for the Ten Steps of Mother Friendly Care, *The Journal of Perinatal Education*, 16(1) : Supplement.
- Organisation mondiale de la santé, 2005, *Soins liés à la grossesse, à l'accouchement et à la période néonatale. Guide de pratiques essentielles*. Genève.

### Et si la césarienne devient nécessaire ?

- Bujold, E., et al. 2005. Single versus double layer closure and the risk of uterine rupture. *Am. J. Obstet. Gynecol.* 193:S20.
- Smith, J., Plaat, F., Fisk, N.M., 2008, The natural caesarean : a woman-centred technique, *BJOG*, 115(8) :1037-1042; discussion 1042.
- Moore, E.R., Anderson, G.C., Bergman, N., 2007, Early skin-to-skin contact for mothers and their healthy newborn infants, *Cochrane Database Systematic Reviews*, 3:CD003519.
- Madar, J., Richmond, S., Hey, E., 1999, Surfactant-deficient respiratory distress after elective delivery at « term », *Acta Paediatr* 88 : 1244-1248;
- DeNoon D.J., 2007, C-Section Before 39th Week Ups Baby Breathing Problems, *WebMD Medical News*, à propos d'une étude danoise de l'hôpital universitaire d'Aarhus : Hansen, A.K., Wisborg, K., Uldbjerg, N., et al., 2007, op. cit.
- Childbirth Connection, 2006. What Every Woman Needs to Know About Cesarean Section, [www.childbirthconnection.org](http://www.childbirthconnection.org)
- Morrison, J.J., Rennie, J.M., Milton, P., 2005, Neonatal respiratory morbidity and mode of delivery at term : influence of timing of elective caesarean section, *BJOG*, 102 : 101-106
- Hansen, A.K., Wisborg, K., Uldbjerg, N., et al., 2007, Risk of respiratory morbidity in term infants delivered by elective caesarean section : cohort study, *British Medical Journal*, 11 décembre 2007, <http://www.bmj.com/cgi/content/full/bmj.39405.539282.BEVI>
- Gerten, K.A., Coonrod, D.V., Bay, R.C., et al., 2005. Cesarean delivery and respiratory distress syndrome : does labor make a difference ? *Am. J. Obstet. Gynecol.*, 193(3), partie 2 : 1061-1064.

### À quoi s'attendre après une césarienne ?

- Gallagher-Mundy, C., 2004. Après une césarienne. Éditions Marabout. Paris.

### La césarienne : vrai ou faux ?

- Yngvild, S., Hannestad, Rolv Terje Lie, Guri Rortveit, Steinar Hunskaar, 2004. Familial risk of urinary incontinence in women : population based cross sectional study. *BMJ*, 329: 889-891. 16 October doi:10.1136/bmj.329.7471.889
- Barrett, G., Peacock, J., Victor, C.R. et al, 2005, Cesarean section and postnatal sexual health, *Birth*, 32(4):306-311.
- Smith, J., Plaat, F., Fisk, N.M., 2008, The natural caesarean : a woman-centred technique, *BJOG*, 115(8) :1037-1042; discussion 1042.
- Combs, C.A., Rosenn, B., Miodovnik, Menachem et al, 2000, Sonographic EFW and macrosomia : is there an optimum formula to predict diabetic fetal macrosomia ? *The Journal of Maternal-Fetal Medicine*, 9(1):55-61.

- Thomas, J., Paranjothy, S., 2001 *National Sentinel Caesarean Section Audit report*, London : RCOG Press.
- Varma, R., Gupta, J.K., Smith, G.C.S., 2007, *Birth after previous caesarean birth*. London : RCOG.
- Pattinson RC, Farrell E. Pelvimetry for fetal cephalic presentations at or near term. *Cochrane Database of Systematic Reviews* 1997, Issue 2. Art. No.: CD000161. DOI: 10.1002/14651858.CD000161
- Société des obstétriciens et gynécologues du Canada, Renseignements sur la santé des femmes – Grossesse – Accouchement du siège, [http://www.sogc.org/health/pregnancy-breech\\_f.asp](http://www.sogc.org/health/pregnancy-breech_f.asp)
- Vadeboncoeur, H. 2008. *Une autre césarienne ou un accouchement naturel ? S'informer pour mieux décider*. Carte blanche.
- Société des obstétriciens et gynécologues du Canada, Renseignements sur la santé des femmes – Grossesse - Accouchement vaginal chez une patiente ayant déjà subi une césarienne (AVAC), [http://www.sogc.org/health/pregnancy-vbac\\_f.asp](http://www.sogc.org/health/pregnancy-vbac_f.asp)